

Table 4G
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 8 / 24 / 07

Comparison of Racial and Ethnic Distribution by Metro Area								
Metro Area	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dane Cty	6,631	26.5	20.8	35.8	0.2	7.1	9.4	0.3
Mil. Cty	36,311	11.9	48.6	31.1	0.3	3.8	4.0	0.4
Racine	4,850	24.9	26.7	39.9	0.2	0.6	7.1	0.4
Unknown Metro A.	73,881	64.4	3.1	18.8	3.2	4.8	5.1	0.5
Wisconsin	121,673	45.1	18.6	24.2	2.0	4.5	5.1	0.5
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5G
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 8 / 24 / 07

Comparison of Age Distribution by Metro Area				
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Dane Cty	6,631	36.3	22.3	41.3
Mil. Cty	36,311	36.4	20.4	43.2
Racine	4,850	38.3	19.1	42.6
Unknown Metro A.	73,881	36.8	19.6	43.6
Wisconsin	121,673	36.7	19.9	43.3
Nation (Prior Year)	7,117,562	35.3	22.0	42.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G
2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)													
Metro Area	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Dane Cty	1,771	8.0 (1)	8.5 (4)	6,430	5.5 (1)	2.8 (2)	12.5 (2)	2,715	14.4 (1)	11.3 (1)		4,656	10.2 (3)
Mil. Cty	9,448	9.7 (4)	6.1 (1)	35,420	5.8 (3)	4.5 (4)	12.0 (1)	15,398	16.6 (3)	13.1 (2)		25,265	16.2 (4)
Racine	1,306	8.1 (2)	6.7 (2)	4,720	6.0 (4)	2.7 (1)	14.0 (4)	2,004	16.6 (3)	14.3 (4)		3,327	9.0 (2)
Unknown Metro A.	18,514	8.1 (2)	8.4 (3)	71,978	5.6 (2)	3.6 (3)	12.5 (2)	31,550	16.4 (2)	13.1 (2)		51,797	7.8 (1)
Wisconsin	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0		85,045	10.4
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7		4,381,087	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G
2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 1
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Metro Area	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Dane Cty	1,767	74.6 (1)	747	43.6 (1)	994	22.9 (1)	525	14.1 (2)	552	12.9 (1)	2,916	84.1 (1)	6,518	8.1 (1)
Mil. Cty	9,429	58.5 (3)	3,684	23.5 (3)	5,429	12.2 (3)	2,233	8.8 (4)	2,632	4.4 (4)	16,635	75.7 (3)	35,621	17.3 (4)
Racine	1,311	56.0 (4)	476	22.1 (4)	636	11.6 (4)	311	10.3 (3)	348	5.7 (3)	2,164	74.7 (4)	4,712	12.4 (2)
Unknown Metro A.	18,564	64.0 (2)	7,819	25.8 (2)	10,408	12.8 (2)	5,327	15.9 (1)	5,947	7.7 (2)	34,098	82.2 (2)	72,435	12.9 (3)
Wisconsin	31,071	62.6	12,726	26.0	17,467	13.2	8,396	13.7	9,479	7.0	55,813	80.1	119,286	13.9
Nation (Prior Year)	1,515,954	58.5	751,259	24.3	869,342	17.7	101,887	13.6	136,891	6.8	343,170	64.7	1,120,034	16.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6G
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Metro Area (3,4)													
Metro Area	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Dane Cty	3,274	8.0 (1)	8.6 (3)	11,871	5.4 (1)	2.6 (1)	13.1 (3)	5,027	14.5 (1)	11.9 (1)		8,419	10.8 (2)
Mil. Cty	26,755	9.9 (4)	6.6 (1)	102,047	5.4 (1)	5.5 (4)	11.7 (1)	46,340	16.1 (2)	12.9 (2)		71,113	18.3 (4)
Racine	3,582	8.3 (3)	7.9 (2)	13,474	5.7 (4)	3.0 (2)	13.7 (4)	6,031	16.7 (4)	13.8 (4)		9,374	12.0 (3)
Unknown Metro A.	55,426	8.1 (2)	8.7 (4)	217,184	5.6 (3)	3.7 (3)	12.5 (2)	97,504	16.3 (3)	13.3 (3)		151,431	9.0 (1)
Wisconsin	89,037	8.6	8.0	344,576	5.5	4.2	12.3	154,902	16.2	13.1		240,337	11.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 1
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Metro Area	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Dane Cty	4,730	71.4 (1)	2,751	38.7 (1)	2,477	21.6 (1)	1,848	17.9 (1)	1,722	11.5 (1)	3,714	82.9 (1)	7,065	15.6 (1)
Mil. Cty	28,497	57.4 (3)	17,327	22.0 (4)	18,223	13.4 (4)	10,550	7.9 (3)	10,541	3.7 (3)	21,048	74.8 (3)	45,241	21.4 (3)
Racine	3,905	54.4 (4)	2,284	22.2 (3)	2,274	17.0 (2)	1,337	7.3 (4)	1,293	3.6 (4)	2,623	72.9 (4)	6,107	21.0 (2)
Unknown Metro A.	59,847	62.8 (2)	38,368	24.3 (2)	38,690	15.0 (3)	22,442	14.0 (2)	22,050	6.7 (2)	42,816	81.2 (2)	96,084	22.7 (4)
Wisconsin	96,979	61.3	60,730	24.3	61,664	14.9	36,177	12.2	35,606	5.9	70,201	79.0	154,497	21.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.